

# INFORMAL TENDER ADVERT

**NELSON MANDELA BAY MUNICIPALITY**  
BUDGET AND TREASURY DIRECTORATE  
PURCHASING AND STORES DIVISION

Tender Number: GQ05265917  
Buyer: Dulwana, Miss Q [00065769]

Closing Date: 2026-06-08  
Closing Time: 11:00 A.M

Telephone : 041 506 7630

REFER ALL ENQUIRIES TO THE BUYER

ITEM	QUANTITY	UNIT	KEY WORD	DESCRIPTION	REQUISITION
1	1.00	EACH	BRUSHCUTTER	Supply and deliver C/W46-2 nylon head, harness - FS161 Bruscutter as per specification available at SCM in Harrower Road - Port Elizabeth.	AA74366
2	1.00	EACH	BRUSHCUTTER	Supply and deliver FS291 STL brushcutter + harness as per specification available at SCM in Harrower Road - Port Elizabeth.	AA74366
3	2.00	EACH	CHAINSAW	Supply and deliver MS382-37cm bar chainsaw - 56T chain as per specification available at SCM in Harrower Road - Port Elizabeth.	AA74366

"For more details on the above items please contact: C. Scott @ 070 701 8768 / 070 701 8768.

## THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.

# INFORMAL TENDER NO: GQ05265917 #1

## **SPECIFICATION:**

### **Supply and Delivery of STIHL FS 161 Brush Cutter (or Approved Equivalent)**

#### **1. PURPOSE**

The purpose of this tender is to procure a professional-grade petrol brush cutter suitable for grass cutting, bush clearing, verge maintenance, landscaping, agricultural, and municipal maintenance applications.

The equipment offered shall be the STIHL FS 161 Brush Cutter or an approved equivalent meeting or exceeding the minimum specifications below.

---

#### **2. MINIMUM TECHNICAL SPECIFICATIONS**

<b>Item</b>	<b>Specification Requirement</b>
Brand	STIHL or approved equivalent
Model	FS 161
Machine Type	Professional petrol brush cutter
Engine Type	2-stroke / 2-MIX low-emission engine
Engine Displacement	Minimum 37.7 cc
Power Output	Minimum 1.5 kW
Fuel Tank Capacity	Minimum 0.75 litres
Weight	Maximum 7.6 kg (without fuel and cutting attachment)
Shaft Type	Straight solid drive shaft
Handle Type	Bicycle / ergonomic handle
Starting System	Recoil starter with decompression assistance
Anti-Vibration System	Required
Harness	Double shoulder harness included
Cutting Head	Nylon line head included
Blade Compatibility	Must support metal brush blade
Cutting Diameter	Minimum 420 mm
Fuel Efficiency	Low-emission fuel-efficient engine
Safety Guard	Included

## INFORMAL TENDER NO: GQ05265917 # 2

### SPECIFICATION:

#### 1. Introduction

- This specification outlines the requirements for the procurement of STIHL FS 291 brush cutters.

#### 2. Equipment Description

- **Model:** STIHL FS 291
- **Type:** Brush cutter
- **Engine Type:** 2-stroke, air-cooled
- **Displacement:** 41.6 cc
- **Power Output:** 2.0 kW
- **Weight:** Approximately 8 kg

#### 3. Performance Requirements

- High torque and power to weight ratio for efficient cutting of dense vegetation.
- Capability to operate with a variety of cutting attachments (e.g., trimmer heads, brush blades).
- Vibration dampening system to enhance user comfort during extended use.

#### 4. Features

- **Start System:** Easy2Start™ for reliable starting.
- **Fuel System:** STIHL 2-MIX engine technology for lower emissions and fuel consumption.
- **Handle Design:** Adjustable bicycle handle for improved manoeuvrability.
- **Safety Features:** Integrated safety features including a protective guard and throttle lock.

#### 5. Warranty and Support

- Manufacturer warranty of at least 1 year.
- Provision for after-sales service and support, including access to spare parts and maintenance services.

#### 6. Delivery and Installation

- Supplier must provide delivery to specified location within [insert timeframe].
- Optional installation and operational training for users.

#### 7. Submission Requirements

- Detailed proposal including pricing, lead times, and warranty terms.
- Evidence of previous experience in supplying similar equipment.
- Compliance with relevant health and safety standards.

<b>Item</b>	<b>Specification Requirement</b>
Operator Manual	Included
Warranty	Minimum 12 months

---

### **3. STANDARD ACCESSORIES**

The following accessories shall be supplied as standard:

- Nylon cutting head
  - Metal brush cutting blade
  - Safety guard
  - Double shoulder harness
  - Tool kit
  - Operator manual
  - Blade transport protection
  - Safety goggles or equivalent PPE
- 

### **4. PERFORMANCE REQUIREMENTS**

The brush cutter shall be capable of:

- Continuous professional use
  - Cutting thick grass, weeds, and light brush
  - Operating under rugged outdoor conditions
  - Low vibration operation for operator comfort
  - Easy maintenance and servicing
- 

### **5. COMPLIANCE REQUIREMENTS**

Tenderers shall provide:

- Manufacturer technical data sheets
- Proof of local dealer support
- Warranty details
- Availability of spare parts for a minimum of 5 years
- Confirmation of after-sales service support

---

## 6. DELIVERY REQUIREMENTS

- Equipment shall be delivered fully assembled and ready for operation.
- Delivery shall include pre-delivery inspection and testing.
- Supplier shall provide operator training upon delivery if required.

---

## 7. EVALUATION CRITERIA

Tenders may be evaluated on:

<b>Criteria</b>	<b>Weighting</b>
Compliance with specifications	40%
Price	30%
Warranty and after-sales support	20%
Delivery period	10%

---

## 8. APPROVED EQUIVALENT

Any equivalent product offered must meet or exceed all stated technical specifications and operational requirements.

---

## 9. REFERENCE TECHNICAL DATA

The STIHL FS 161 brush cutter typically includes:

- 37.7 cc engine displacement
- 1.5 kW power output
- 420 mm cutting diameter
- STIHL 2-MIX engine technology
- Ergonomic bicycle handle
- Anti-vibration system
- Professional-grade clearing capability

# INFORMAL TENDER NO: GQ05265917 # 3

## SPECIFICATION:

### 1. Scope

The contractor shall supply and deliver a heavy-duty professional petrol-driven chainsaw suitable for forestry, tree felling, cross-cutting, logging, firewood cutting, and general commercial cutting applications.

### 2. Equipment Description

The chainsaw offered shall be equivalent or superior to the STIHL MS 382 and shall comply with the following minimum specifications.

### 3. Minimum Technical Specifications

Description	Specification
Engine Type	2-Stroke Petrol Engine
Engine Capacity	Approximately 72 cc
Power Output	Minimum 3.9 kW
Weight	Approximately 6.2 kg (without guide bar and chain)
Fuel Tank Capacity	Minimum 680 ml
Oil Tank Capacity	Minimum 360 ml
Guide Bar Length	20"-25" compatible
Chain Type	Heavy-duty professional saw chain
Ignition System	Electronic ignition
Starting System	Easy start / recoil start
Anti-Vibration System	Heavy-duty anti-vibration handles
Chain Lubrication	Automatic adjustable chain lubrication
Chain Brake	Inertia activated chain brake
Air Filtration	High-performance filtration system
Handle Configuration	Ergonomic front and rear handles
Safety Features	Chain catcher, throttle interlock, hand guard

### 4. Performance Requirements

The machine shall:

- Be suitable for continuous commercial and forestry use.
- Deliver high torque and reliable cutting performance under heavy-duty conditions.

- Be capable of operating in harsh outdoor environments.
- Have low vibration levels for operator comfort.
- Provide easy maintenance access for routine servicing.

#### **5. Standard Accessories**

The supplied unit shall include:

- Guide bar
- Saw chain
- Combination service tool
- Guide bar cover/scabbard
- Operator's manual
- Fuel and oil mixing instructions

#### **6. Compliance Requirements**

The equipment supplied shall:

- Be new and unused.
- Comply with applicable safety standards.
- Have readily available spare parts and service support within South Africa.
- Carry a minimum 12-month manufacturer warranty.

#### **7. Supplier Requirements**

The supplier shall provide:

- Product brochures and technical data sheets.
- Warranty documentation.
- Availability of after-sales service and spare parts.
- Operator training and commissioning where required.

#### **8. Approved Equivalent**

Any approved equivalent offered must meet or exceed all specifications and performance requirements listed above.