

INFORMAL TENDER ADVERT

NELSON MANDELA BAY MUNICIPALITY
BUDGET AND TREASURY DIRECTORATE
PURCHASING AND STORES DIVISION

Tender Number: SQ05263827
Buyer: Kana, Miss L [90022170]

Closing Date: 2026-06-05
Closing Time: 11:00 A.M

Telephone : 041 506 7630

REFER ALL ENQUIRIES TO THE BUYER

ITEM	QUANTITY	UNIT	KEY WORD	DESCRIPTION	REQUISITION
1	7.00	EACH	VALVES	Supply and deliver VALVES 100mm spigot ended left hand closing with non-rising spindle fitted. Spec: Class 16 (SABS 664) Cast iron wedge gate epoxy coated. Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive. For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za	2026PREQ05798
2	6.00	EACH	VALVES	Supply and deliver VALVES 80mm spigot ended plain ended left hand closing with non-rising spindles. Spec: Class 16 (SABS 664) Cast iron wedge gate epoxy coated. Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive. For more information, please contact	2026PREQ05799

THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.

Ms. Derrocks at
mderrocks@mandelametro.gov.za

3	30.00	EACH	JOINTS	Supply and deliver 6" Thomas Viking Johnson or equivalent JOINTS range 159 - 182. Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive. For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za	2026PREQ05800
4	200.00	EACH	TAPE	Supply and deliver TAPE denso or approved equivalent 75mm x 10m rolls petrolatam tape weight must be 1.5KG each. No product with poor quality creases will be accepted. Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive. For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za	2026PREQ05801
5	1,000.00	EACH	COUPLING	Supply and deliver COUPLING 1/2 x 15mm straight female ITC (SABS on coupling). Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive. For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za	2026PREQ05803

THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.

6	700.00	EACH	ELBOWS	Supply and deliver ELBOWS C.T.C female 15mm D10XS (SABS on coupling).	2026PREQ05804
				<p>Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive.</p> <p>For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za</p>	
7	600.00	EACH	ELBOW	Supply and deliver ELBOW 22mm x 90 degree female ITC (SABS on coupling) SANS 10525/1 = approved.	2026PREQ05805
				<p>Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive.</p> <p>For more information, please contact Ms. Derrocks at mderrocks@mandelametro.gov.za</p>	

THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.